

IMPIRA[®]
THE LUXURIOUS SHADES

CREATED BY
IMPIRA DECOR

E-mail : impiradecor@gmail.com

Follow On :    

1.5
MM ANTI SCRATCH
ACRYLIC SHEETS

6H
HARDNESS
ANTI SCRATCH

100%
PURE ACRYLIC

IMPIRA[®]
THE LUXURIOUS SHADES

Acrylic
SHADES

IMPIRA[®]
THE LUXURIOUS SHADES

Rise
WITH
Acrylic
SHADES

Where Every Surface
Tells a Story of Radiance and Reflection

IMPIRA[®]
THE LUXURIOUS SHADES

Colors
Disse

ABOUT US

At **IMPIRA**, our unwavering commitment to excellence is the foundation of our enduring success. We meticulously curate our laminates to align with our clients' discerning tastes and interior aspirations. Our artistically crafted laminates come in a spectrum of cool hues, offering a wide range of options to suit any design vision. We consistently explore innovative color palettes and textures to ensure that our clients have access to the very best in the industry. Our relentless pursuit of quality has garnered the unwavering love and trust of our esteemed customers. We firmly believe that true peace of mind begins at home, and our laminates are designed to enhance the beauty and serenity of your living spaces.

1.5 MM ANTI SCRATCH
ACRYLIC SHEETS

3H
HARDNESS
ANTI SCRATCH

100%
PURE ACRYLIC



IMPIRA®
THE LUXURIOUS SHADES

U N M A T C H E D

MARBLE

Where Every Surface Tells a Story of Radiance and Reflection

The Strength of Marble

1.5 MM ANTI SCRATCH
ACRYLIC SHEETS

6H
HARDNESS
ANTI SCRATCH

100%
PURE ACRYLIC



M A R V E L O U S

1.5 MM ANTI SCRATCH ACRYLIC SHEETS

6H HARDNESS ANTI SCRATCH

100% PURE ACRYLIC



ID-1151




Effortless Elegance

Make a bold statement with our contemporary creations that showcase unique style



ID-1152



ID-1153



Timeless Innovation





ID-1154




ID-1155



Transform your home into a masterpiece
with our contemporary creations



ID-1156



ID-1157



Dynamic Harmony

I
M
P
R
E
S
S
I
V
E





ID-1158



CREATE
A LUXURIOUS
DESIGN
AESTHETIC

Create a space that reflects your personality
with our inventive designs



IMPIRA®
THE LUXURIOUS SHADES

P L A Y F U L

SPARKLE

Where Every Surface Tells a Story of Radiance and Reflection


Unseen Glow, unmatched Sparkle

1.5 MM ANTI SCRATCH
ACRYLIC SHEETS


6H
HARDNESS
ANTI SCRATCH

100%
PURE ACRYLIC





ID-3351




ID-3352




ID-3353



ID-3354



ID-3355



ID-3356

Kize






Kiise
W O N D E R



ID-3357



ID-3358



ID-3359



ID-3360



ID-3361



ID-3362

C H A R M I N G



Elevate your home decor with the enamouring style of our contemporary creations


1.5 MM ANTI SCRATCH ACRYLIC SHEETS

6H HARDNESS ANTI SCRATCH


100% PURE ACRYLIC

Futuristic Charm


Bring the beauty of contemporary design to your space with our innovative style




ID-3363



ID-3364



ID-3365



ID-3366





ID-7751



ID-7752



ID-7753

A R T I S T I C




ID-7754




ID-7755



ID-7756



ID-7757



ID-7758



ID-7759

ELEVATE YOUR INTERIOR WITH SOPHISTICATION

Transform your space into a work of art with the fascinating renditions of our surfaces



1.5 MM ANTI SCRATCH ACRYLIC SHEETS

6H HARDNESS ANTI SCRATCH

100% PURE ACRYLIC

E
M
A
N
A
T
E



IMPIRA®
THE LUXURIOUS SHADES



SOLID

UNBREAKABLE BEAUTY IN EVERY

TONE

Where Every Surface Tells a Story of
Radiance and Reflection

Beyond Trends, Always Solid

1.5 MM ANTI SCRATCH
ACRYLIC SHEETS

6H
HARDNESS
ANTI SCRATCH


100%
PURE ACRYLIC



1.5 MM ANTI SCRATCH
ACRYLIC SHEETS

6H
HARDNESS
ANTI SCRATCH


100%
PURE ACRYLIC




ID-5551



ID-5552




ID-5553




ID-5554




ID-5555




ID-5556



ID-5557



ID-5558




ID-5559




ID-5560







ID-5561




ID-5562




ID-5563



ID-5564



ID-5565



ID-5566

Rise
D Y N A M I C


1.5 mm ANTI SCRATCH
ACRYLIC SHEETS

6H
HARDNESS
ANTI SCRATCH


100%
PURE ACRYLIC

Tactile Wonders


Experience the delicate charm of our surfaces
that impresses all who enter




ID-5567



ID-5568




ID-5569



ID-5570

SOPHISTICATED
COLOR
STYLE



ID-5571




Minimalist Luxury


Transform your space into a world of fascinating renditions with our modern surfaces



ID-5572



ID-5573




ID-5574


S
H
A
D
E
S






ID-5575



ID-5576



ID-5577



Rise


L U X U R I O U S




Creative Fusion

Create a space that inspires with the
captivating modern feel of our surfaces







ID-5584




ID-5585



ID-5586



ID-5587



ID-5588





M O D E R N

Lise

1.5 MM ANTI SCRATCH ACRYLIC SHEETS

6H HARDNESS ANTI SCRATCH

100% PURE ACRYLIC



Experience the magic

Create a space that inspires with the striking form of our supremely stylish textures

Wooden *Series*

1.5 MM ANTI SCRATCH ACRYLIC SHEETS


6H HARDNESS ANTI SCRATCH

100% PURE ACRYLIC

F A B U L O U S

IMPIRA®
THE LUXURIOUS SHADES

Kise



ID-9991




Minimalist Luxury






D E C O R



ID-9992



ID-9993



INFUSE YOUR WORLD WITH THE ESSENCE
OF MODERN GRANDEUR

Technical Specification

AVAILABLE SIZE

2440mm x 1220mm (8ft x 4ft)
thickness - 1.5mm (±10%)

REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS

To avoid delamination / air bubbles in between surface laminate and plywood (or any other suitable substrate) the below points need to take care of it.



CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION:



CAUSES OF CRACK LINES OR STRETCH LINES IN ACRYLIC LAMINATE SHEETS.



To avoid the inside cracks & stretch line **Do not store acrylic sheet in roll form.**



Please open the roll immediately. Do not pressurize while opening roll



Shake it well and light spray on the surface



Wipe the surface clean using a light circular motion

Ways To Prevent Acrylic Laminate From Color Fade Or Yellowing

- Do not expose your Acrylic Laminates furniture to direct sunlight, it may cause discolouring, fading and yellowing of the laminates.
- Don't use inferior quality chemical dipped plywood as it can react with adhesive which may cause yellow patches after the installation.
- Don't use synthetic rubber (S.R.) adhesive for bonding as it may lead to brown/colored patches on Acrylic Laminates.
- Don't place hot cookware directly on the Acrylic Laminates.
- Prolonged exposure of Acrylic Laminate above 30-degree temperature should be avoided.

Follow some steps mentioned as below to maintain Acrylic Laminates.

- To clean the surface of Acrylic Laminates do not use thinner.
- Wipe the surface gently with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solutions as these may damage the surface of the laminates.
- Use mild household glass cleaner to remove more stubborn stains.
- You can use normal water also for cleaning.
- Do not place hot cookware directly on the Acrylic Laminate.

How To Apply

- Use balancing sheet on backside.
- Always clean the dust particles properly from the substrate (plywood, MDF, Particle Board) surface by cloth or soft brush.
- Always use good quality branded adhesive to stick Acrylic Laminate on substrate. Please don't add water in adhesive before using it.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on Acrylic Laminate and base substrate (Plywood, MDF, Particle Board).
- It is necessary to remove the air between Acrylic Laminate and substrate. Please leave minimum 2mm of groove between two pieces of Acrylic Laminate.
- At the time of pressing Acrylic Laminate on base substrate (Plywood, MDF, Particle Board) always use soft pinch roller or normal pressing technique to protect surface from any damage.
- The pressing should be done from the middle of the panel and move towards to the sideline and corners of the panel.
- For better bonding of Acrylic Laminate on substrate, press it for minimum 12 to 15 hours.
- Peel off the protective film within 15 days of installation.

Let our product work its magic and create a spectacular view that will leave you amazed

UNDERSTAND

6H SURFACE


The term "6H Surface" refers to a level of hardness based on the pencil hardness scale, where "H" denotes hardness. A 6H rating indicates a high level of scratch resistance, equivalent to that of a 6H pencil. This means the surface is highly resistant to scratches, offering enhanced durability. Such high scratch resistance is especially desirable in premium materials, and 6H-rated acrylic is considered a top-quality option. It is widely used in applications like furniture, cabinetry, and kitchen surfaces, where long-lasting and scratch-resistant finishes are valued.

Parameters	Impira Acrylic Laminate	High Gloss Laminate Mica	PU Coating / Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Antisratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes


APPLICATIONS



Layer of ACRYLIC



1.5mm (±10%)
1.5 MM ANTI SCRATCH ACRYLIC SHEETS



Installation Video



6H
HARDNESS
ANTI SCRATCH

100%
PURE ACRYLIC



Timeless
Rise